

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S30	4553629	press\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:49
S31	3	((("5619237") or ("5971525") or ("6733317"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/22 20:49
S33	3234786	rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:50
S34	3	S31 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:50
S35	3	carriage and S34	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:50
S36	105942	rotat\$4 near2 lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:05
S37	3	lever and S35	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:50
S38	1	S37 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:50
S39	3984305	power current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:05
S40	2	S35 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:50
S41	3	S30 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 20:56
S42	64418	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/22 20:58

S43	11889	S30 and S33 and carriage and (lever with rotat\$4) and (power electrical)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:00
S44	925	S42 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 21:03
S45	13232	head with (press\$4 near3 portion)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:00
S46	125	S44 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/22 21:05
S51	64418	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/23 19:01
S52	105942	rotat\$4 near2 lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:06
S53	3600829	(power electrical)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:00
S54	26732	(printhead print\$1head (print adj head) head) with (press\$4 near3 (portion member))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:05
S55	37120	(carriage hold\$3) with cartridge	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:01
S57	232	S51 and S52 and S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:02
S58	118	S57 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:02
S59	246816	metal and angle and spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:03

S60	53	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:03
S61	148007	(printhead print\$1head (print adj head) head) and (press\$4 near3 (portion member))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:05
S65	269322	rotat\$4 with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:06
S70	246816	metal and angle and spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/23 19:08
S76	64418	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/24 13:36
S78	1	("5867188").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/24 14:03
S79	71298	plate adj2 spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:04
S80	148007	(printhead print\$1head (print adj head) head) and (press\$4 near3 (portion member))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:19
S81	269322	rotat\$4 with lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:05
S82	4250213	power current (electric\$2 with connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:05
S86	223000	(printhead print\$1head (print adj head) head) with (hold\$3 carriage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:16
S88	19668	guide adj shaft	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:21

S90	6310	(guide adj shaft) with (hold\$3 carriage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:21
S93	1	("6851795").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/24 14:48
S94	1	("6834947").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/24 14:51
S95	80	S83 and S86 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 14:50
S97	1	S94 and S76 and S80 and S81 and spring and S88 and S82 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 16:30
S98	7	((("20020180823") or ("6834947") or ("6851795") or ("5867188") or ("5971525") or ("6733317") or ("5619237"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/24 16:06
S99	3132686	metal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:06
S10 0	3165131	plate	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:06
S10 1	2196534	angle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:06
S10 2	3	S98 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:07
S10 3	7	S98 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:06
S10 4	5	S98 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:06

S10 5	1	S102 and S103 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:07
S10 6	267268	sheet adj metal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:13
S10 7	7	S106 and S76 and S80 and S81 and S82 and S86 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:14
S10 8	1840	((347/37) or (347/49) or (347/50)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/24 15:14
S11 0	2	S107 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 15:38
S11 3	167	(lever near4 rotat\$4) with (guide adj shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 16:32
S11 4	29	S76 and S113	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 16:32
S11 5	28	S86 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:14
S11 6	70902	predetermined adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:14
S11 7	317	S76 and S116 and (press\$4 near2 (portion member))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:16
S11 8	230	S86 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:17
S11 9	74	S81 and S82 and S118	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:19

S12 2	8595	(predetermined adj angle) same (spring (press\$4 near4 (member portion)))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:22
S12 3	21	S119 and S122	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/12/24 17:30
S12 4	51184	(pressing pressed pressue) near2 portion	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 10:25
S12 5	801630	lever	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 10:25
S12 6	311433	metal near sheet	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 10:25
S12 8	64610	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/01/11 10:25
S13 0	98079	plate near2 spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 10:26
S13 1	6	S124 and S125 and S126 and S130 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/01/11 10:26